

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)

COMPANY

The Traditional Paint Company OIL BASED EGGSHELL

DATE OF ISSUE
Updated 27/01/2017

SAFETY DATA SHEET

Oil Eggshell

PRODUCT AND IDENTIFICATION

Product Name - Oil Eggshell

Intended Use – Solvent paint for a hard wearing eggshell finish on interior and exterior woodwork.

COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name Cas No. Symbol Health Risk Phrase

D40 8052-41-3 Flammable R.10

HAZARD IDENTIFICATION

Flammable

FIRST AID MEASURES

Eye Contact: Remove glasses / contact lenses, irrigate eye with copious amounts of water for 10 minutes & seek

medical help.

Skin Contact: Clean skin with proprietary cleaner and wash with soap and water. Remove heavily soiled

clothing.

Ingestion: Do not induce vomiting – seek medical help immediately.

FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Foam, Carbon dioxide (CO2) Powders, do not use water jet.

SPECIAL FIRE FIGHTING PROCEDURES: Keep run-off water out of sewers and water sources. Cool containers ex-posed to flames with water until well after the fire is out. Move container from fire area if it can be done without risk. If risk of water pollution occurs, notify appropriate authorities. Fire will produce dense black smoke.

HAZOURDOUS DECOMPOSITION PRODUCTS: PROTECTIVE MEASURES IN FIRE: Wear self-contained breathing apparatus. And suitable protective clothing.

ACCIDENTAL RELEASE MEASURES

Contain and collect all spillages using sand, earth & other non combustible materials.

Dispose as to waste regulations (see section 13). Do not allow spillage to enter drains or watercourses. Should the product enter the drains then advise the local water authority. If a watercourse is contaminated, inform the National Rivers Authority immediately.

traditional paint

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)



HANDLING AND STORAGE

Handling – Vapours are heavier than air and may spread along floors. They form explosive mixtures with air. Prevent build up of concentration by good ventilation. Exclude all sources of ignition from work area. Ensure that when not in use all container lids are replaced. Keep out of areas of welding (i.e. sparks and heat). Avoid contact with skin and eyes. Do not breathe vapour. No smoking. Observe good housekeeping practice.

Storage – Observe the principles contained in the 'Storage of Flammable Liquids in Containers' by the H.S.E. Store between 5 & 25°C in a dry and well ventilated lock up store, away from all sources of ignition and direct sunlight. 'No smoking' and 'Flammable' signs should be prominent and clearly seen. Prevent unauthorized entry. Opened containers should be correctly resealed. Do not store with acids, alkalis and/or oxidising agents.

EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering measures: Provide adequate ventilation by the use of local exhaust ventilation and good general extraction. In areas highly confined for application, the use of air fed masks is necessary.

Hands – Where skin is exposed, the use of a non-water based barrier cream is advised as an additional measure to the use of gloves.

Eyes – Wear suitable eye protection to prevent splashes entering the eye.

Body protection – Should be by overalls of cotton or plastic. Ensure that contaminated skin is properly cleansed.

Respiratory Systems – If exposure to the above solvents cannot be controlled, air fed masks must be worn.

PHYSICAL AND CHEMICAL PROPERTIES

Physical state - Liquid

Solubility in water - insoluble in water

PH - N/A

Flashpoint - over 23°C

Density - 1.2

STABILITY AND REACTIVITY

STABILITY: Liquid & dry film will burn giving off Carbon Dioxide & Monoxide & black smoke.

CONDITIONS TO AVOID: Extreme temperatures.

TOXICOLOGICAL INFORMATION

There are no toxicological studies on the product, therefore no data is available. However the solvents used in the product can give rise to harmful effects on short term and long term exposure... such as irritation to the mucous membrane and respiratory system, also adverse effects on the renal and central nervous system. Symptoms include headache, dizziness, nausea, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Repeat or long contact with the product on the skin can lead to removal of the natural fats from the skin, which can result in dermatitis and absorption through the skin. Splashes in the eye will cause severe irritation and could cause temporary blindness and even possible damage.

ECOLOGICAL INFORMATION

There is no available data on the product itself. The product should not be allowed to enter drains or water-courses nor should it be deposited on the ground where it could affect ground or surface waters. The air pollution / integrated pollution control requirements made under the environmental protection act may apply to this product.

traditional paint

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)



3 DISPOSAL CONSIDERATIONS

Dispose of in accordance with local authority requirements.

Do not allow the product to enter watercourses or drains or dispose of where ground or surface waters may be affected. All waste material including empty containers are controlled wastes and should be disposed of in accordance with the regulations under The Control Of Pollution Act. Using information provided in this data sheet advice should be obtained from the waste regulation authority whether the special regulations apply.

TRANSPORT INFORMATION

Transport requirements in accordance with ADR for road, RID for rail, IMDG for sea and ICOA-IATA for air.

Un Number – UN1263 Proper shipping name: Paint related material

IMDG class - Packaging group: 111

EmS – 3.05

Subsidiary risk- none Marine pollutant - Yes

ADR/RID - 3 ADR/RID item no.3/31(C)

ICAO-IATA class - 3 Label name – Flammable liquid/paste

REGULATORY INFORMATION

The product is classified and labeled for the supply in accordance with the Chemicals (Hazard Information & Packaging) Regulations 1993 as follows: -

Symbol Flammable

Named substances -

Risk Phrase R.10 Flammable

Safety phrase S.43 In case of fire use foam, C0² or dry powder extinguisher

OTHER INFORMATION

The information contained in this safety data sheet is provided in accordance with the requirements of the Chemicals (Hazard Information & Packaging) Regulations 1993. The product should not be used for purposes other than those shown in Section 1, as the specific conditions of use of the product are outside the suppliers control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this data sheet is based on the present state of knowledge and current national legislation (U.K.). It provides guidance on health, safety and environmental aspects of the product and as such should not be construed as any guarantee of technical performance or suitability for particular applications.